

SS
24



SPRING / SUMMER 2024

masters
LIFE IN ACTION

INNOVATION KNOW-HOW PASSION

SINCE 1977



MASTERS, dal febbraio 1977, crede nell'innovazione, nella tecnologia, nella sicurezza; crede anche nella creatività, nel rispetto dell'ambiente e nella forza del gruppo che insieme collabora per la creazione delle collezioni. Orgogliosi di produrre in Italia bastoni di qualità per ogni sport che richieda l'utilizzo di questo accessorio: sci di discesa (alpino, freestyle, telemark), sci di fondo, trekking, hiking, trail running, walking e nordic walking.

*Since February 1977 **MASTERS** has always believed in innovation, technology and safety; it also believes in creativity, respect for the environment and the strength of its team. Proud to produce quality poles in Italy for every kind of activity that requires the use of these accessories: alpine skiing, cross-country skiing, trekking, hiking, walking, trail running and nordic walking.*

Utilizziamo energie rinnovabili dal 2011: 555 pannelli su 10 linee collegate ai rispettivi inverter ci garantiscono energia per 115.000 kW l'anno e risparmiamo così ben 80 tonnellate di Co2 l'anno. Nessuna tossicità per i bastoni Masters: vernici prive di piombo nel rispetto della normativa Reach (CE) e materiali bio-compatibili per un valore aggiunto al nostro prodotto.

We have been using renewable energy sources since 2011: 555 panels on 10 lines, connected to their inverters, provide 115,000 kW of energy per year and save no less than 80 tonnes of CO2 per year. No toxicity for Masters' poles: lead-free paints that are compliant with the EC's REACH Legislation and bio-compatible materials for added value to our product.



A LIFE IN ACTION WITH



OUR SUPPORT TO



Dal 2007, due amici alpinisti hanno creduto in un progetto, quello del Kalika Family Health Hospital: costruire e mantenere un piccolo ospedale in una delle regioni più isolate e difficili da raggiungere del mondo, il Basso Dolpo nepalese.

Dopo il terremoto della primavera 2015, l'Associazione si è impegnata anche nel sostenere la ricostruzione di una scuola poco fuori Kathmandu.

Ma cosa vuol dire Bistari Bistari? Si può tradurre con il nostro "piano piano" e viene usato da sherpas e portatori per apostrofare gli occidentali quando si affannano, spesso senza grandi risultati, su per sentieri e monti della loro terra. Ed è con lo spirito del "piano piano", ma con costanza, che l'Associazione vuole proseguire la loro opera.

In 2007, two mountaineering friends committed to achieve a project, the Kalika Family Health Hospital: to build and maintain a small hospital in one of the most isolated and hard-to-reach-regions in the world, the Lower Dolpo in Nepal. After the earthquake in the spring of 2015, the association also undertook to support the reconstruction of a school on the outskirts of Kathmandu.

But what does Bistari Bistari mean? It can be translated with our "a bit at a time" and is used by sherpas and porters to refer to westerners when they pant, often without great results, up the trails and mountains of their land. The Association wants to go ahead with its work "a bit at a time", but with perseverance.



Nel 2011, da un'iniziativa extra-scolastica, nasce Scie di Passione per dare la possibilità a TUTTI, indistintamente dalla nazionalità e dalle possibilità psico - fisico - motorie, di vivere la montagna e gli sport di scivolamento in maniera autonoma, promuovendo, attraverso la pratica sportiva e progetti dedicati, l'integrazione tra disabili e normodotati.

Non solo maestri, ma maestri preparati a fare della singola esigenza dei loro allievi il centro della loro attenzione, offrendogli - attraverso il programma Teach Different - giornate sulla neve, momenti indimenticabili di divertimento e autonomia.

Scie di Passione was conceived in 2011 from an out-of-school event, to give an opportunity to EVERYONE, regardless of their nationality and psycho-physical abilities, to experience the mountain environment and sliding sports independently, thus promoting integration between the disabled and the able-bodied through sport and dedicated projects.

Not just teachers, but teachers prepared to make the individual needs of their pupils the centre of their attention, offering them days on the snow and unforgettable moments of fun and carefree independence through the Teach Different programme.




Abam Onlus - dal 1979 - intende tenacemente perseguire gli obiettivi concreti verso i quali vengono impegnati tutti i fondi raccolti, al fine di sostenere con serietà e generosità molti bambini affetti da malformazioni congenite e le strutture sanitarie che si occupano di questi piccoli malati: l'Associazione si impegna ogni anno ad assistere le famiglie meno abbienti dei bambini malati, completare o fornire attrezzature indispensabili per curare i piccoli pazienti, sostenere il personale medico impegnato in interventi umanitari rivolti alla cura dei bambini.

Since 1979 Abam Onlus has been tenaciously pursuing the concrete objectives for which all the funds it collects are directed: to seriously and generously support many children with congenital malformations and the healthcare organization that care for these young patients. Every year, the Association assists the less well-off families of sick children, completes or provides equipment that is essential for the treatment of the little patients, and supports the medical personnel involved in humanitarian aid to care for the children.

EVO STRAP

REGOLAZIONE VELOCE, SENZA FIBBIA
QUICK ADJUSTMENT, NO BUCKLE



REGOLAZIONE DEL PASSAMANO /// STRAP ADJUSTMENT




AUTOMATIC STOP SYSTEM

Il passamano, utilizzando un sistema brevettato unico nel suo genere, garantisce la massima sicurezza e un'ottima prestazione. Il passamano è facile da regolare e semplice da fissare nella corretta e più confortevole posizione. Inoltre, in caso di caduta, il passamano si sgancia automaticamente liberando la mano ed evitando così possibili traumi ai polsi.


By using a unique patented Automatic Stop mechanism, this strap ensures safe and performance.

The automatic strap is simple to adjust and easy to lock in the correct and most comfortable position. Furthermore, in case of falls, the strap automatically unlocks freeing the hand and avoiding possible injuries to the wrist.



CARBON
CA LU[®]
 ALUMINUM
 TECH

masters
 EXCLUSIVE
 TECHNOLOGY



Leggerezza e grande resistenza in un unico tubo
An all-in-one combination of lightness and strength



Elevata capacità di assorbimento dei colpi diametrali
Copes admirably with diametrical knocks



Carico di rottura: 32% più resistente rispetto ad AluTech 7075
Tensile strength: 32% more resistant than AluTech 7075



Le migliori caratteristiche del carbonio e dell'alluminio in un unico tubo
All the best properties of carbon and aluminium combined together



L I G H T E R & S T R O N G E R

Calu[®]Tech è la risposta alla richiesta di leggerezza, resistenza e flessibilità: la miglior lega di alluminio e il carbonio più puro si uniscono per creare un tubo dalle caratteristiche fisiche e meccaniche senza eguali.

Leggero perché: il rivestimento in carbonio permette di ridurre il peso della sottile anima in lega di alluminio AluTech 7075.

Resistente perché: la forza dell'AluTech 7075 sostiene la fibra di carbonio aumentandone flessibilità e resistenza a contrastare i colpi diametrali.

Non c'è piombo in questo materiale bi-componente e nemmeno altri elementi dannosi spesso ritrovati nel carbonio e nei materiali composti.

Calu[®]Tech meets the needs for lightness, strength and flexibility: the best aluminum alloy and the purest carbon are combined together to create a tube with unrivalled mechanical and physical features.

Lightweight: the carbon coating reduces the weight of the slim body in 7075 AluTech aluminum alloy.

Resistant: the strength of the 7075 AluTech supports the carbon fibre increasing its flexibility and strength to counter diametrical impacts.

There is no lead in this two-component material nor any other harmful elements that are often found in carbon and composite materials.


FULL CARBON



I tubi da noi utilizzati sono realizzati con un'alta percentuale di carbonio e non di resina. In sezione, infatti, le numerose fibre di carbonio formano un fitto intreccio visibile ad occhio nudo e non un semplice composto verosimile al vetro. Il carbonio permette un ottimo bilanciamento tra oscillazione e leggerezza per un uso professionale. I tubi in carbonio vengono selezionati e controllati in azienda al fine di garantire l'uso del bastone soprattutto in estreme condizioni di sforzo.

Carbon tubes are made with a high percentage of carbon instead of resin and its tightly texture along the section is easily visible to the naked eye. Carbon fiber permits a perfect balance between best swing and lightweight for a professional use of the poles. Carbon shafts are checked and tested internally our Company to guarantee an extreme use of our poles.

CARBON FIBER REINFORCED



Un aggregato di fibra di carbonio e fibra di vetro per garantire resistenza e leggerezza: il giusto compromesso per bastoni di qualità rispettando le aspettative tecniche ed economiche.

An aggregate of carbon fibre and glass fibre to ensure strength and lightness: the right balance for quality poles, meeting technical and economic expectations.

ALUTECH 7075

LA MIGLIOR LEGA DI ALLUMINIO
THE BEST ALUMINUM ALLOY



La lega di alluminio e zinco per eccellenza: leggera e resistente agli urti, agli sforzi e alla torsione. Ergal, il suo nome commerciale, è la lega di alluminio più idonea a sopportare i cambiamenti di temperatura (caldo e freddo), tanto da essere utilizzata soprattutto nel campo aeronautico, in particolare nelle parti strutturali.



TUBI ESTRUSI:
NESSUN PUNTO DI CONGIUNZIONE
EXTRUDED TUBES:
NO JOINS

ELETROSALDATURA
STANDARD
STANDARD
ELECTRO-WELDING

masters
ALUTECH 7075

ALU 5083




The aluminum and zinc alloy par excellence: lightweight and resistant to impacts, stress and torsion. Its trade name is Ergal: the perfect aluminum alloy for withstanding hot and cold temperature changes, making its use particularly popular in the aeronautical industry, especially for structural parts.

La lega di alluminio 5083 è composta in % maggiore da Alluminio, Magnesio, Manganese, Ferro e Silicio: questi elementi garantiscono un buon comportamento del materiale sia alle basse temperature che quelle ambienti e un'ottima resistenza alla corrosione e all'ossidazione, mantenendo buone caratteristiche meccaniche.

The 5083 aluminum alloy is mainly composed of aluminum, magnesium, manganese, iron and silicon: these elements ensure sound material performances at low and ambient temperatures and excellent resistance to corrosion and oxidation, while maintaining sound mechanical properties.

TEST COMPARATIVO /// COMPARISON TEST



MATERIALE MATERIAL	CARICO DI ROTTURA (F Max) TENSILE STRENGTH (F Max)	PRESTAZIONI PERFORMANCE
CALU®TECH ► masters EXCLUSIVE TECHNOLOGY	740 MPa*	★★★★★
ALUTECH 7075 ► masters CHOICE	560 MPa*	★★★★★
ALUMINUM 5083 ► masters CHOICE	450 MPa*	★★★★★
ALUMINUM 6013 ► NOT RECOMMENDED	360 MPa*	★★☆☆☆
ALUMINUM 6061 ► NOT RECOMMENDED	290 MPa*	★★☆☆☆

*Megapascal: l'unità di misura derivata dal Sistema Internazionale utilizzata per misurare il carico di rottura per trazione
*Megapascal: the unit of measurement taken from the International System used to measure tensile strength

WING LOCK



Una innovativa forma per il sistema di bloccaggio esterno, il Wing Lock, che proprio come un'ala avvolge il corpo di pregiata plastica DuPont® fissato al bastone per assicurarne la presa salda e resistente.

La leva in alluminio è alleggerita dai carichi eccessivi di materiale per renderla quanto più essenziale e leggera possibile, mantenendo inalterate le caratteristiche di affidabilità meccanica e di praticità d'uso.

Wing Lock is the external blocking system with an innovative shape: like a wing, it embraces the body in high-quality DuPont® plastic fixed on the pole, ensuring a firm and steady grip.


Now with more modest material loads, the aluminum lever has become even more essential and lightweight, while maintaining its mechanical reliability and easy-to-use features.



CLAMPER BLOCKING SYSTEM

Il sistema di chiusura Clamper permette una regolazione rapida e semplice senza l'uso di utensili, ma solo ruotando la rotellina con le dita. Questo sistema esterno è davvero leggero, grazie alla forma compatta e sottile della leva; disponibile in diversi colori per abbinarsi alle grafiche dei bastoni.


Clamper system allows users to adjust pole length quickly and simply without tools, only screwing the cog with fingers. The external system is really lightweight, thanks to a compact and slim shape; available in different colors to match with the design of the poles.



SBS SUPER BLOCKING SYSTEM

La più alta tenuta di chiusura e una sicurezza estrema. Test TÜV dimostrano come ogni singolo espansore SBS sia in grado di sostenere più di 106 Kg. Grazie alla nostra esperienza e conoscenza tecnica, possiamo garantire l'affidabilità di questo sistema a doppio cono d'espansione, realizzato con materiali DuPont® testati a -50° C.

The highest locking system and extreme safety. TÜV tests show as each expander SBS is able to bear more than 106 Kg. Thanks to our experience and know-how, we can guarantee the reliability of this double cone of expansion realized with DuPont® material tested to -50° C.



BS BLOCKING SYSTEM

Il perno rosso rappresenta la caratteristica distintiva del sistema BS "Blocking System".


Realizzato con plastiche DuPont®, questo sistema assicura prestazioni ottimali nel tempo ad alte e basse temperature.



ANTISHOCK CSS CUSHIONING SPRING SYSTEM

La combinazione perfetta tra la tecnologia brevettata dell'antishock Kompressor® e i comuni sistemi presenti nel mercato. L'antishock CSS è semplice e sicuro con il suo sistema posizionato all'interno della sezione media che lavora separata.

The combination between patented Kompressor® antishock technology and common systems in the market. CSS antishock is easy and safer with its system located in the middle section that works separately from On/Off mechanism.



TEST DI COMPRESSIONE DEI SISTEMI DI CHIUSURA MASTERS*

COMPRESSION TEST OF MASTERS BLOCKING SYSTEMS*

BLOCKING SYSTEM	BLOCKING FORCE	COMPRESSION RESULT** (kg)
SBS (inner)	EXPANSOR TIGHTENED 1,5 N-m	110 Kg
BS (inner)	EXPANSOR TIGHTENED 1,5 N-m	86 Kg
WING LOCK (outer)	LEVER TIGHTENED 1,5 N-m	72 Kg
CLAMPER (outer)	LEVER TIGHTENED 1,5 N-m	63 Kg

(*) I dati si riferiscono a test effettuati con un singolo pezzo.
Data refers to test made with a single piece.

(**) Il valore si riferisce al risultato minimo ottenuto.
Data refers to the minimum result achieved.

TIP-TOP SYSTEM



TOP BASKET

La rotella TOP, complementare al supporto TIP, è innovativa nella forma, nello scarico del materiale in eccesso ed è resa innovativa dalla modalità di smontaggio dal supporto: per inserirla, basta condurla alla fine della corsa delle guide predisposte nel supporto, fissandola con una rotazione in senso antiorario, mentre basterà piegare contemporaneamente i tre lembi verso il basso e ruotare la rotella in senso orario fino allo sblocco dalle guide del supporto TIP.

The TOP basket complements the TIP support, with its innovative shape and reduced excess material. It is also provided with an innovative support-unhooking system: to insert it, you only need to move it to the end of the guide run on the support, securing it with an anticlockwise twist; to remove it, you simply fold the three flaps downwards simultaneously and twist the basket clockwise until it is released from the TIP support guides.



Aggiunta particolarità: la possibilità di poterla tagliare di 1/3 della sua forma per l'utilizzo su neve fresca, in fase di salita, per quanti necessitano di un punto di appoggio stabile che segua l'inclinazione del terreno.

Additional feature: you can reduce its length by a 1/3 for use on fresh snow when going uphill; this is perfect for those who need a stable support that can adapt to the slope of the terrain.



CI SONO PLASTICHE PIÙ EVOLUTE DI ALTRE

THERE ARE PLASTIC MATERIALS THAT ARE MORE EVOLVED THAN OTHERS

Tutte le plastiche presenti nei nostri prodotti resistono a qualsiasi shock termico dovuto a cambiamenti climatici repentini o al gelo. Questo grazie all'efficacia e alla resistenza del materiale garantito a temperature al di sotto dello zero. Infatti, i materiali DuPont® garantiscono le loro prestazioni fino a -50°C e ben oltre i +40°C.

All plastic materials are thermal shock resistant to weather changes and frost: this is possible thanks to the excellent overall performance of engineering polymers at sub-freezing temperatures. DuPont® materials guarantee their performances to -50° C and up to +40° C.

Copyright© DuPont. All right reserved.

TIP-TOP SYSTEM, dall'inglese per indicare il meglio del meglio: una forma innovativa e caratteristiche particolarmente affidabili per la rotella e per il supporto dei nostri bastoni, per dare risposta alle esigenze dello sportivo più vario.

TIP-TOP SYSTEM means literally the best of the very best: an innovative shape and particularly reliable features for the basket and its support, to meet the need of every kind of sportsman.

TIP SUPPORT

Il supporto TIP, più lungo di 9 mm rispetto al supporto filettato utilizzato nelle collezioni precedenti, raggiunge 69 mm di superficie utilizzabile come base di appoggio sul terreno e si completa di un anello di diametro 35 mm (rispetto al precedente che misurava 25 mm), dove si trovano le guide per l'inserimento della rotella TOP.

The TIP support is 9 mm longer than the threaded support included in the previous collections and reaches a surface of 69 mm as support on the ground and is provided with a 35 mm diameter ring (compared to the previous one measuring 25 mm), where the guides used to insert the TOP basket are located.



COMFORT & ERGONOMICS

Per evolvere bisogna innovarsi.

Per guardare al futuro bisogna conoscere il passato.

Spinti dalla tecnologia;
ispirati dal design;
un punto fermo e inalterato;
la nostra esperienza nell'ergonomia e nel comfort.

Questo è l'impegno di Masters per supportare tutte le persone nel mondo.

Evolution requires innovation.

To look towards the future we must know the past.


Driven by technology;
inspired by design;
an immovable, unchanging element;
our experience in ergonomics and comfort.

This is the commitment of Masters to support everyone in the world.



masters FOAMS

Perché le manopole dei nostri modelli top sono in schiuma EVA? Perché è morbida al tatto per garantire prensilità ed è ergonomica per adattarsi alla forma della mano e alla forza impressa durante la presa; è resistente anche alle basse temperature (-45°C), mantenendo una buona flessibilità, stabilità chimica, resistenza all'invecchiamento; è anallergica e atossica, inattaccabile da funghi e batteri. Sono caratteristiche importanti che esaltano la tecnologia dei bastoni sui quali le manopole Piuma, Falco e Palmo sono assemblate.




Why are the grips on our top models made of EVA foam? Because it is soft to the touch, ensures a tight grasp and is ergonomic to fit the shape of the hand and the force exerted when gripping; it is also resistant to low temperatures (-45°C), while maintaining good flexibility, chemical stability and resistance to wear; it is non-allergic and non-toxic and resistant to fungi and bacteria. These are important features that enhance the technology of the poles which have Piuma, Falco and Palmo grips.

FOLDABLE POLE PACKAGING



INCLUSO NEL BOX
THE BOX CONTAINS



SACCA PORTA-BASTONI
POLE BAG




ROTELLE (SUI MODELLI EQUIPAGGIATI)
BASKETS (ON RELEVANT MODELS)



VISIONE FRONTALE / FRONT VIEW

VISIONE POSTERIORE / REAR VIEW

TELESCOPIC POLE PACKAGING



VISIBILITÀ DEL BRAND OTTIMALE
EXCELLENT BRAND VISIBILITY



NOME PRODOTTO E SPECIFICHE TECNICHE
PRODUCT NAME AND SPECIFICATIONS

TOP BASKETS
INCLUSE NEL PACKAGING
INCLUDED IN THE PACK



LIBRETTO ILLUSTRATIVO DI TUTTE LE TECNOLOGIE
BOOKLET EXPLAINING ALL THE FEATURES

ISTRUZIONI, AVVERTENZE E MANUTENZIONE DEL BASTONE
INSTRUCTIONS, WARNINGS AND LOOKING AFTER YOUR POLES

100% CARTA RICICLABILE
100% RECYCLABLE PAPER



FOLDABLE POLES

Una collezione di modelli a corda, completa per soddisfare tutte le necessità specifiche dei vari utilizzi: trail running, trekking, speed-hiking.

*A full collection of cord models to meet all the specific needs for different uses:
trail running, trekking, speed-hiking.*



ULTRASTRONG FOLDABLE POLES

FOLDABLE POLES

- Bastoni a corda con una costruzione specifica per utilizzo trekking e backpacking
- Resistenza ottimale a carichi elevati grazie ai tubi con diametro maggiorato
- Manopola con estensione in leggera foam, confortevole ed ergonomica
- Supporto con sistema Tip-Top per uno sgancio rapido della rotella

FOLDABLE POLES



ULTRALIGHT FOLDABLE POLES



- Bastoni pieghevoli per trail running, trekking e speed-hiking
- Design ULTRALIGHT: tutta la tecnologia dei modelli foldable in diametro ridotto
- Leggerezza e prestazioni ai massimi livelli
- I più compatti nella loro categoria
- Agevoli da trasportare

- Foldable poles for trail running, trekking and speed-hiking*
- ULTRALIGHT Design: all the technology found with small diameter folding models*
- Lightweight and high performance*
- The most compact poles in their category*
- Easy to transport*

TRECIME Carbon GS NEW

01S0124

TRAIL	★★★★★
TREKKING	★★★★
SPEED-HIKING	★★★★★



TRECIME Carbon

01S0119

TRAIL	★★★★★
TREKKING	★★★★★
SPEED-HIKING	★★★★★



TRECIME FIX Carbon

01S0219

TRAIL	★★★★★
TREKKING	★★★★★
SPEED-HIKING	★★★★★



TRECIME

01S0319

TRAIL	★★★★★
TREKKING	★★★★★
SPEED-HIKING	★★★★★



VERTICAL POLE

VERTICAL POLE

L'evoluzione massima della tecnologia. Il modello Sassolungo Carbon rappresenta il risultato di test e valutazioni sul campo per renderlo il più performante tra i bastoni a misura fissa.

The utmost in technological evolution. The Sassolungo Carbon model is the outcome of in-the-field tests and assessments that have made it the most highly performing among fixed-length poles.



SASSOLUNGO Carbon

01S0419

TRAIL	★★★★★
TREKKING	★★★★
SPEED-HIKING	★★★★★

82 GRAMS OF
PURE
TECHNOLOGY




VERTICAL POLE

TREKKING ULTRASTRONG

Escursioni impegnative e faticose, richiesta di preparazione fisica e tecnica, il giusto accessorio che supporti lo sforzo per rispondere a queste caratteristiche: ecco la linea Trekking Ultrastrong.

Strenuous and demanding hiking, technical and physical training, the perfect accessory to assist your efforts in responding to these characteristics: here's the Trekking Ultrastrong line.



SPEEDSTER CALU®
01S2119

SPEEDSTER
01S2720




TREKKING

L'uscita fuori-porta deve portarti piacere e soddisfazione: puoi farlo affidandoti alla linea Trekking con i suoi modelli adatti alle necessità più diverse.

Outdoor activities should bring you pleasure and satisfaction: you can achieve this by relying on our Trekking line with its models that suit all needs.





- EXPERT
- CALU® TECH
- 110-135 CM
- PACK SIZE 66 CM
- WEIGHT 213 G/PC.
- PALMO EVO STRAP
- WING LOCK
- TIP-TOP SYSTEM
- CARBIDE TIP

DOLOMITI CALU®
01S4119



- ENTHUSIAST
- ALUTECH 7075
- 110-135 CM
- PACK SIZE 66 CM
- WEIGHT 248 G/PC.
- PALMO EVO STRAP
- WING LOCK
- TIP-TOP SYSTEM
- CARBIDE TIP


DOLOMITI LTD
01S4219



- ENTHUSIAST
- ALUTECH 7075
- 110-135 CM
- PACK SIZE 57 CM
- WEIGHT 234 G/PC.
- PALMO EVO STRAP
- WING LOCK
- TIP-TOP SYSTEM
- CARBIDE TIP

DOLOMITI LTD
01S4321





ENTHUSIAST



ALUTECH 7075



95-125 CM




PACK SIZE 58 CM



WEIGHT 225 G/PC.



PALMO EVO STRAP



BS




TIP-TOP SYSTEM



CARBIDE TIP

TREKKING



RANGER GREEN
01S4719



RANGER BLUE
01S4819



RANGER LTD
01S4720

(RECREATIONAL)



ALU 5083

1 SIZE RANGE

115-140 CM

PACK SIZE 70 CM



WEIGHT 286 G/PC.

T7 DUAL EASY STRAP



AUTOMATIC STOP SYSTEM



CLAMPER BLOCKING SYSTEM



TIP-TOP SYSTEM



CARBIDE TIP

(RECREATIONAL)



ALU 5083

1 SIZE RANGE

95-120 CM

PACK SIZE 55 CM



WEIGHT 260 G/PC.

T7 DUAL EASY STRAP



AUTOMATIC STOP SYSTEM



CLAMPER BLOCKING SYSTEM




TIP-TOP SYSTEM



CARBIDE TIP



junior!



NORDIC WALKING

Una collezione completa che riesce a coprire tutti i livelli di apprendimento della tecnica del nordic walking: dai modelli a misura fissa in carbonio a quelli telescopici in lega di alluminio. Tutti contraddistinti dall'elevato livello qualitativo dei materiali e della realizzazione.

A complete collection that can successfully meet the needs of every learning level in Nordic walking: you can choose from the single-size carbon models or up to the telescopic ones in aluminum alloy. All models are outstanding for their high quality materials and construction techniques.





PHYSIQUE 0.8 Carbon
01N0119

EXPERT

- CARBON FIBER REINFORCED HM 80%
- WEIGHT 150 G/PC.
- ESSENZA CLICK CORK
- EVOLUTION REFLEX CLICK (S-M)
- CRUISE CARBIDE



PHYSIQUE 0.6 Carbon
01N0219

EXPERT

- CARBON FIBER REINFORCED HM 60%
- WEIGHT 153 G/PC.
- ESSENZA CLICK CORK
- EVOLUTION REFLEX CLICK (S-M)
- CRUISE CARBIDE



PHYSIQUE 0.1 Carbon
01N0319

ENTHUSIAST

- CARBON FIBER REINFORCED HM 10%
- WEIGHT 157 G/PC.
- ESSENZA CLICK FOAM
- EVOLUTION REFLEX CLICK (S-M)
- STEEL



TRAINING SPEED
01N0519

EXPERT

- ALUTECH 7075
- 1 SIZE RANGE
90-130 CM
- PACK SIZE 86 CM
- WEIGHT 225 G/PC.
- ESSENZA CLICK CORK
- FR SYSTEM UNDER CEAN LICENSE
EVOLUTION REFLEX CLICK (S-M)
- WING LOCK
- CRUISE CARBIDE

TRAINING
01N0624 NEW

ENTHUSIAST

- ALUTECH 7075
- 1 SIZE RANGE
110-135 CM
- PACK SIZE 77 CM
- WEIGHT 212 G/PC.
- ESSENZA CLICK FOAM
- FR SYSTEM UNDER CEAN LICENSE
EVOLUTION REFLEX CLICK (S-M)
- BS BLOCKING SYSTEM
- STEEL

CONFEZIONE UNITARIA PACKING UNIT PACKAGE BY PAIR SAE 582.031		TRECLIME TOUR Carbon 0150721	TRECLIME TOUR 0150821	TRECLIME Carbon GS 0150124	TRECLIME Carbon 0150119	TRECLIME FIX CARBON 0150219	TRECLIME 0150319	SASSOLUNGO Carbon 0150419	SPEEDSTER Calu 0152119	SPEEDSTER 0152220	EIGER Calu 0152219	EIGER 0152319	SHERPA 0152419	SHERPA ANTI SHOCK CSS 0152519	DOLOMITI Calu 0154119	DOLOMITI LTD 0154219	SUMMIT LIGHT CALU 0154420	SUMMIT LIGHT BLUE 0154521	SUMMIT LIGHT GREEN 0154619	RANGER GREEN 0154719	RANGER BLUE 0154819	RANGER LTD ORANGE 0154720	SCOUT ANTISHOCK CSS 0154919	SCOUTED 0155019	SCOUT GREEN 0155120	SCOUT YELLOW/GRE 0155219	SCOUT JUNIOR 0155219	POCKETREK 0156520	PHYSIQUE 0.8 CARBON 01N0119	PHYSIQUE 0.6 CARBON 01N0219	PHYSIQUE 0.1 CARBON 01N0319	TRAINING SPEED 01N0519	01N0624
ESSENZA CLICK CORK PACKAGE BY PAIR SAE 582.031																																	
EVOLUTION CLICK GLOVE REFLEX SILVER (SIZE S-M) PACKAGE BY PAIR SAE 582.016																																	
EVOLUTION CLICK GLOVE REFLEX GOLD (SIZE L-XL) PACKAGE BY PAIR SAE 582.019																																	
TOP BASKET Ø85mm PACKAGE BY PAIR SAE 582.028		• •		• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •							
BASKET SCREW Ø 55 mm PACKAGE BY PAIR SAE 582.001		• • • •																															
TIP SUPPORT CARBIDE PACKAGE BY PAIR SAE 582.027		• •		• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •						
TIP SUPPORT STEEL PACKAGE BY PAIR SAE 582.026		• •																															
NORDIC WALKING SUPPORT CRUISE CARBIDE TIP PACKAGE BY PAIR SAE 582.011																			• •	•													
NORDIC WALKING SUPPORT CARBIDE TIP PACKAGE BY PAIR SAE 582.010																			•														
NORDIC WALKING SUPPORT STEEL TIP PACKAGE BY PAIR SAE 582.009																			•	•	•												
TRAIL RUNNING SUPPORT PACKAGE BY PAIR SAE 582.034				• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •						
TREKKING PAD PACKAGE BY PAIR SAE 582.029		• •																															
NORDIC WALKING PAD PACKAGE BY PAIR SAE 582.014																			• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •	• • • •					

WALL DISPLAY BAR
EPPWD01

110 cm METAL SHEET BAR per 15 pcs

SELF-STANDING DISPLAY BAR
EPPSS01

110 cm METAL SHEET BAR per 15 pcs + 130 cm height SUPPORTS

SHOP DISPLAY
EPPM01

50/50x165 cm

ROLL-UP DISPLAY
RUALL85

85x200 cm

TABLE DISPLAY
EPPC6M

+ SUMMER BROCHURE CLS24

BOARD CAP

CAP04.01 BLACK/LIME CAP04.02 BLACK/WHITE CAP04.03 BLACK/CYAN

100% COTTON

365 DAYS T-SHIRT UNISEX

BLACK-LIME BLACK-WHITE BLACK-CYAN

SIZE S	TSTU03S	TSTU04S	TSTU05S
SIZE M	TSTU03M	TSTU04M	TSTU05M
SIZE L	TSTU03L	TSTU04L	TSTU05L
SIZE XL	TSTU03XL	TSTU04XL	TSTU05XL

100% POLYESTER

NECK-BANDS

GD5.1 WHITE GD5.2 BLACK

PATCH
PATCH01

(12,5x4 cm)

PENS
GD3

50 pcs BOXES REFILL COLOR BLACK

GAZEBO
BAMA05

300x300 cm

OUTDOOR FLAG
BAMA13

(80x500 cm)

INDOOR FLAG
BAMA12

(40x200 cm)

OUTDOOR FLAGS SUPPORTS

BAMA14 WATER / SAND BASE WEIGHT 8 Kg

BAMA6 STEEL TIP

BAMA09 PLASTIC AUGER

STICKERS

AD06 (24X7.5 cm) White Label

AD07.01 (12X3.8 cm) Transparent Label

POLES BAGS 145 CM

BONW01 Ø 22 cm (ca. 15 pa)
BONW02 Ø 15 cm (ca. 5 pa)

POLES BAGS 110 CM

BOTK01 Ø 22 cm (ca. 15 pa)
BOTK02 Ø 15 cm (ca. 5 pa)

TNT SINGLE ROLL BANNER


BAMA20 50 mt x 80 cm (other lengths on request)

BANNER PVC

BAMA11 500X100 cm
BAMA10 250X60 cm

SPRING / SUMMER 2024

FOLDABLE POLES			
LENGTH: 110-135 (41) SHAFT: ø14X3-16-18 FULL CARBON 100% GRIP: PALMO LONG	BLOCK: WING LOCK + PUSHPULL SUPPORT: TIP SYSTEM TIP: CARBIDE	TRECIME TOUR Carbon 01S0721	
LENGTH: 110-135 (41) SHAFT: ø14X3-16-18 ALUTECH 7075 GRIP: PALMO LONG	BLOCK: WING LOCK + PUSHPULL SUPPORT: TIP SYSTEM TIP: CARBIDE	TRECIME TOUR 01S0821	
LENGTH: 110-130 (35) SHAFT: ø12X3-14-16 FULL CARBON 100% + CALU@TECH GRIP: ESSENZA FOAM	BLOCK: WING LOCK + PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME Carbon GS 01S0124	
LENGTH: 110-130 (35) SHAFT: ø12X3-14-16 FULL CARBON 100% + CALU@TECH GRIP: FALCO	BLOCK: WING LOCK + PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME Carbon 01S0119	
LENGTH: 33-100 / 35-110 / 38-120 / 40-130 SHAFT: ø12X3-14-16 FULL CARBON 100% + CALU@TECH GRIP: FALCO	BLOCK: PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME FIX Carbon 01S0219	
LENGTH: 110-130 (35) SHAFT: ø12X3-14-16 ALUTECH 7075 GRIP: FALCO	BLOCK: WING LOCK + PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME 01S0319	
VERTICAL POLE			
LENGTH: 105-130 SHAFT: ø12 FULL CARBON 100% 3K GRIP: PIUMA	BLOCK: - SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	SASSOLUNGO Carbon 01S0419	
TREKKING ULTRASTRONG			
LENGTH: 110-130 (52) SHAFT: ø12-14-16-18 CALU@TECH GRIP: PALMO	BLOCK: WING LOCK + BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SPEEDSTER Calu 01S2119	
LENGTH: 110-130 (52) SHAFT: ø12-14-16-18 ALUTECH 7075 GRIP: PALMO	BLOCK: WING LOCK + BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SPEEDSTER 01S2720	
LENGTH: 110-135 (66) SHAFT: ø14-16-18 CALU@TECH + ALUTECH 7075 GRIP: PALMO LONG	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	EIGER Calu 01S2219	
LENGTH: 115-140 (70) SHAFT: ø14-16-18 ALUTECH 7075 GRIP: PALMO LONG	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	EIGER 01S2319	
LENGTH: 110-140 (65) SHAFT: ø14-16-18 ALUTECH 7075 GRIP: PALMO LONG	BLOCK: SBS SUPPORT: TIP SYSTEM TIP: CARBIDE	SHERPA 01S2419	
LENGTH: 105-135 (65) SHAFT: ø14-16-18 ALUTECH 7075 GRIP: PALMO	BLOCK: BS + ANTI SHOCK CSS SUPPORT: TIP SYSTEM TIP: CARBIDE	SHERPA ANTI SHOCK CSS 01S2519	
TREKKING			
LENGTH: 110-135 (66) SHAFT: ø12-14-16 CALU@TECH GRIP: PALMO	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	DOLOMITI Calu 01S4119	
LENGTH: 110-135 (66) SHAFT: ø12-14-16 ALUTECH 7075 GRIP: PALMO	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	DOLOMITI 01S4219	
LENGTH: 95-125 (57) SHAFT: ø12-14-16 ALUTECH 7075 GRIP: PALMO	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	DOLOMITI LTD 01S4321	
LENGTH: 110-135 (61) SHAFT: ø12-14-16 CALU@TECH + ALUTECH 7075 GRIP: PALMO LONG	BLOCK: BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SUMMIT LIGHT CALU 01S4420	
LENGTH: 110-135 (61) SHAFT: ø12-14-16 ALUTECH 7075 GRIP: PALMO	BLOCK: BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SUMMIT LIGHT BLUE 01S4521	
LENGTH: 110-135 (61) SHAFT: ø12-14-16 ALUTECH 7075 GRIP: PALMO	BLOCK: BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SUMMIT LIGHT GREEN 01S4519	
LENGTH: 95-125 (58) SHAFT: ø12-14-16 ALUTECH 7075 GRIP: PALMO	BLOCK: BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SUMMIT LIGHT W 01S4619	

PAGE 18-23	LENGTH: 110-135 (41) SHAFT: ø14X3-16-18 FULL CARBON 100% GRIP: PALMO LONG	BLOCK: WING LOCK + PUSHPULL SUPPORT: TIP SYSTEM TIP: CARBIDE	TRECIME TOUR Carbon 01S0721	
PAGE 18-23	LENGTH: 110-135 (41) SHAFT: ø14X3-16-18 ALUTECH 7075 GRIP: PALMO LONG	BLOCK: WING LOCK + PUSHPULL SUPPORT: TIP SYSTEM TIP: CARBIDE	TRECIME TOUR 01S0821	
PAGE 18-23	LENGTH: 110-130 (35) SHAFT: ø12X3-14-16 FULL CARBON 100% + CALU@TECH GRIP: ESSENZA FOAM	BLOCK: WING LOCK + PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME Carbon GS 01S0124	
PAGE 18-23	LENGTH: 110-130 (35) SHAFT: ø12X3-14-16 FULL CARBON 100% + CALU@TECH GRIP: FALCO	BLOCK: WING LOCK + PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME Carbon 01S0119	
PAGE 18-23	LENGTH: 33-100 / 35-110 / 38-120 / 40-130 SHAFT: ø12X3-14-16 FULL CARBON 100% + CALU@TECH GRIP: FALCO	BLOCK: PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME FIX Carbon 01S0219	
PAGE 18-23	LENGTH: 110-130 (35) SHAFT: ø12X3-14-16 ALUTECH 7075 GRIP: FALCO	BLOCK: WING LOCK + PUSHPULL SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	TRECIME 01S0319	
PAGE 24-25	LENGTH: 105-130 SHAFT: ø12 FULL CARBON 100% 3K GRIP: PIUMA	BLOCK: - SUPPORT: TRAIL RUNNING SUPPORT TIP: AERONAUTICAL 7075 ALU	SASSOLUNGO Carbon 01S0419	
PAGE 26-29	LENGTH: 110-130 (52) SHAFT: ø12-14-16-18 CALU@TECH GRIP: PALMO	BLOCK: WING LOCK + BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SPEEDSTER Calu 01S2119	
PAGE 26-29	LENGTH: 110-130 (52) SHAFT: ø12-14-16-18 ALUTECH 7075 GRIP: PALMO	BLOCK: WING LOCK + BS SUPPORT: TIP SYSTEM TIP: CARBIDE	SPEEDSTER 01S2720	
PAGE 26-29	LENGTH: 110-135 (66) SHAFT: ø14-16-18 CALU@TECH + ALUTECH 7075 GRIP: PALMO LONG	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	EIGER Calu 01S2219	
PAGE 26-29	LENGTH: 115-140 (70) SHAFT: ø14-16-18 ALUTECH 7075 GRIP: PALMO LONG	BLOCK: WING LOCK SUPPORT: TIP SYSTEM TIP: CARBIDE	EIGER 01S2319	
PAGE 26-29	LENGTH: 110-140 (65) SHAFT: ø14-16-18 ALUTECH 7075 GRIP: PALMO LONG	BLOCK: SBS SUPPORT: TIP SYSTEM TIP: CARBIDE	SHERPA 01S2419	
PAGE 26-29	LENGTH: 105-135 (65) SHAFT: ø14-16-18 ALUTECH 7075 GRIP: PALMO	BLOCK: BS + ANTI SHOCK CSS SUPPORT: TIP SYSTEM TIP: CARBIDE	SHERPA ANTI SHOCK CSS 01S2519	
PAGE 30-39	LENGTH: 115-140 (70) SHAFT: ø14-16-18 ALU 5083 GRIP: T7	BLOCK: CLAMPER SUPPORT: TIP SYSTEM TIP: CARBIDE	RANGER GREEN 01S4719	
PAGE 30-39	LENGTH: 115-140 (70) SHAFT: ø14-16-18 ALU 5083 GRIP: T7	BLOCK: CLAMPER SUPPORT: TIP SYSTEM TIP: CARBIDE	RANGER BLUE 01S4819	
PAGE 30-39	LENGTH: 95-120 (55) SHAFT: ø14-16-18 ALU 5083 GRIP: T7	BLOCK: CLAMPER SUPPORT: TIP SYSTEM TIP: CARBIDE	RANGER LTD 01S4720	
PAGE 30-39	LENGTH: 105-135 (65) SHAFT: ø14-16-18 ALU 5083 GRIP: T6 CORK	BLOCK: BS + ANTI SHOCK CSS SUPPORT: TIP SYSTEM TIP: STEEL	SCOUT ANTI SHOCK CSS 01S4923	
PAGE 30-39	LENGTH: 110-140 (65) SHAFT: ø14-16-18 ALU 5083 GRIP: T6 CORK	BLOCK: BS SUPPORT: TIP SYSTEM TIP: STEEL	SCOUT RED 01S5019	
PAGE 30-39	LENGTH: 110-140 (65) SHAFT: ø14-16-18 ALU 5083 GRIP: T6 CORK	BLOCK: BS SUPPORT: TIP SYSTEM TIP: STEEL	SCOUT GREEN 01S5119	
PAGE 30-39	LENGTH: 110-140 (65) SHAFT: ø14-16-18 ALU 5083 GRIP: T6 CORK	BLOCK: BS SUPPORT: TIP SYSTEM TIP: STEEL	SCOUT YELLONGE 01S5120	
PAGE 30-39	LENGTH: 80-100 (59) SHAFT: ø14-16 ALU 5083 GRIP: 8.16 SEBS	BLOCK: BS SUPPORT: TIP SYSTEM TIP: STEEL	SCOUT JUNIOR 01S5219	
PAGE 30-39	LENGTH: 75-100 (49) SHAFT: ø12-14-16 ALUTECH 7075 GRIP: POCKET PE	BLOCK: BS SUPPORT: NW TIP: CARBIDE	POCKETREK 01S6520	
NORDIC WALKING				
PAGE 40-43	LENGTH: 100-135 SHAFT: ø16 CARBON F. REINFORCED HM 80% 3K GRIP: ESSENZA CLICK CORK	BLOCK: - SUPPORT: CRUISE TIP: CARBIDE	PHYSIQUE 0.8 Carbon 01N0119	
PAGE 40-43	LENGTH: 100-135 SHAFT: ø16 CARBON F. REINFORCED HM 60% GRIP: ESSENZA CLICK CORK	BLOCK: - SUPPORT: CRUISE TIP: CARBIDE	PHYSIQUE 0.6 Carbon 01N0219	
PAGE 40-43	LENGTH: 100-135 SHAFT: ø16 CARBON F. REINFORCED HM 10% GRIP: ESSENZA CLICK FOAM	BLOCK: - SUPPORT: NW TIP: STEEL	PHYSIQUE 0.1 Carbon 01N0319	
PAGE 40-43	LENGTH: 90-130 (86) SHAFT: ø14-16 ALUTECH 7075 GRIP: ESSENZA CLICK CORK	BLOCK: WING LOCK SUPPORT: CRUISE TIP: CARBIDE	TRAINING SPEED 01N0519	
PAGE 40-43	LENGTH: 110-135 (77) SHAFT: ø14-16 ALUTECH 7075 GRIP: ESSENZA CLICK FOAM	BLOCK: BS SUPPORT: NW TIP: STEEL	TRAINING 01N0624	



masters®
LIFE IN ACTION

All the introduced products and contents are protected by Copyright© Masters Srl. Images have

L / F E

/ N

A C T / O N

MASTERS SRL

Via Capitelvecchio, 29 - 36061 Bassano del Grappa (VI) Italy

✉ info@masters.it

📞 +39 0424 524133

🌐 masters.it

⌚ 📸 @masterspoles